

P17

TEMPRA PRO

Industrial Plugs & Sockets

Weatherproof Power Connectivity for Harsh Environments



P17 Temptra Pro is a high-performance range of industrial plugs and sockets designed for demanding environments. With multiple weatherproof ratings and robust construction, the system ensures reliable power connectivity for environments such as airports, data centers, hotels, and outdoor installations.

Features

- 16–125A range with IP44 to IP69 protection
- Rugged, weatherproof & chemical-resistant build
- Quick & easy installation design
- Flexible mounting & multiple configurations
- Ergonomic design with safety compliance (IEC standards)

Benefits

- Works reliably in any environment (indoor/outdoor)
- Higher safety & secure connections
- Saves installation time & effort
- Low maintenance & long-lasting performance
- Adaptable for all project needs & applications



Range

IP44



Straight plugs



Mobile sockets



Panel mounting sockets



Surface mounting sockets

IP66/67/69*



Straight plugs



Mobile sockets



Panel mounting sockets



Surface mounting sockets



Scan to know more about the product.



P17 Tempra Pro IP 44 - LV 16 & 32A - Sockets & Plugs

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Surface Mounting Sockets

5551 54	200/250 V~, 16 A 2P+E	1117	10
5551 58	380/415 V~, 16 A 3P+E	1293	10
5551 59	380/415 V~, 16 A 3P+N+E	1369	10
5552 54	200/250 V~, 32 A 2P+E	1395	5
5552 58	380/415 V~, 32 A 3P+E	1746	10
5552 59	380/415 V~, 32 A 3P+N+E	1771	10

Panel Mounting Sockets Inclined Outlet

5551 84	200/250 V~, 16 A 2P+E	650	10
5551 88	380/415 V~, 16 A 3P+E	956	10
5551 89	380/415 V~, 16 A 3P+N+E	1008	10
5552 84	200/250 V~, 32 A 2P+E	1000	10
5552 88	380/415 V~, 32 A 3P+E	1264	10
5552 89	380/415 V~, 32 A 3P+N+E	1339	10

Mobile Sockets

5551 04	200/250 V~, 16 A 2P+E	847	10
5551 08	380/415 V~, 16 A 3P+E	943	10
5551 09	380/415 V~, 16 A 3P+N+E	1000	10
5552 14	200/250 V~, 32 A 2P+E	1123	10
5552 18	380/415 V~, 32 A 3P+E	1349	10
5552 19	380/415 V~, 32 A 3P+N+E	1426	10

Straight Plugs

5551 24	200/250 V~, 16 A 2P+E	600	10
5551 28	380/415 V~, 16 A 3P+E	737	10
5551 29	380/415 V~, 16 A 3P+N+E	773	10
5552 34	200/250 V~, 32 A 2P+E	904	10
5552 38	380/415 V~, 32 A 3P+E	1031	10
5552 39	380/415 V~, 32 A 3P+N+E	1093	10

P17 Tempra - Domestic Pin Configuration 16 A - 250 VA

Flush-Mounting Boxes

0577 21	For 2 panel mounting sockets With single fixing centres 70 x 70 mm - 16 A	6324	3
0577 22	For 1 panel mounting socket With single fixing centres 70 x 70 mm - 16 or 32 A (32 A to be fixed horizontally)	3564	3

* MRP - Maximum Retail Price Inclusive of all taxes including GST.

P17 Tempra Pro IP 66/67 LV 16 and 32 A

Cat.Nos	Polarity	MRP* ₹ / Unit	Pack
---------	----------	------------------	------

Surface Mounting Sockets

5553 54	200/250 V~, 16 A 2P+E	1753	5
5553 58	380/415 V~, 16 A 3P+E	1950	5
5553 59	380/415 V~, 16 A 3P+N+E	2122	5
5554 54	200/250 V~, 32 A 2P+E	2078	5
5554 55	200/250 V~, 32 A 3P+E	3590	5
5554 59	380/415 V~, 32 A 3P+N+E	3890	5

Panel Mounting Sockets

5553 84	200/250 V~, 16 A 2P+E	1283	5
5553 88	380/415 V~, 16 A 3P+E	1364	5
5553 89	380/415 V~, 16 A 3P+N+E	1450	5
5554 84	200/250 V~, 32 A 2P+E	1628	5
5554 88	380/415 V~, 32 A 3P+E	1864	5
5554 89	380/415 V~, 32 A 3P+N+E	1980	5

Mobile Sockets

5553 04	200/250 V~, 16 A 2P+E	1568	5
5553 08	380/415 V~, 16 A 3P+E	1950	5
5553 09	380/415 V~, 16 A 3P+N+E	2070	5
5554 14	200/250 V~, 32 A 2P+E	2155	5
5554 18	380/415 V~, 32 A 3P+E	2303	5
5554 19	380/415 V~, 32 A 3P+N+E	2445	5

Straight Plugs

5553 24	200/250 V~, 16 A 2P+E	1364	5
5553 28	380/415 V~, 16 A 3P+E	1497	5
5553 29	380/415 V~, 16 A 3P+N+E	1591	5
5554 34	200/250 V~, 32 A 2P+E	1847	5
5554 38	380/415 V~, 32 A 3P+E	1941	5
5554 39	380/415 V~, 32 A 3P+N+E	2058	5

P17 Tempra Pro IP 66/67 LV 32 A for Refrigerated Containers

Combined Unit, Plug & Mobile Socket for Refrigerated Containers

6571 06	Combined unit with interlocked switched socket - Double mechanical interlock - Cable glands are not supplied	29223	1
---------	--	-------	---

Bold Cat.Nos are products normally available with Legrand (India) Stockists.
Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order.
Bold packing quantity is our mandatory packing. Orders to be placed by
Legrand (India) Stockist in multiples of the same.

P17 Tempra Pro IP 66/67 LV 32 A for Refrigerated Containers

Cat.Nos	Polarity	MRP* ₹ / Unit	Pack
---------	----------	------------------	------

Combined Unit, Plug & Mobile Socket for Refrigerated Containers

5554 41	Straight plug With cable grip Ø12 to 21.5 mm	2231	5
---------	--	------	---

P17 Tempra Pro IP 66/67 - LV 63 and 125 A

Surface Mounting Sockets

5555 54	200/250 V~, 63 A 2P+E	7717	2
5555 58	380/415 V~, 63 A 3P+E	8065	2
5555 59	380/415 V~, 63 A 3P+N+E	8003	2
5556 58	380/415 V~, 125 A 3P+E	21002	2
5556 59	380/415 V~, 125 A 3P+N+E	25764	2

Panel Mounting Sockets

5555 84	200/250 V~, 63 A 2P+E	6123	2
5555 88	380/415 V~, 63 A 3P+E	6243	2
5555 89	380/415 V~, 63 A 3P+N+E	6576	2
5556 88	380/415 V~, 125 A 3P+E	17672	1
5556 89	380/415 V~, 125 A 3P+N+E	18897	1

Straight Plugs

5555 24	200/250 V~, 63 A 2P+E	5184	2
5555 28	380/415 V~, 63 A 3P+E	5380	2
5555 29	380/415 V~, 63 A 3P+N+E	5774	2
5556 28	380/415 V~, 125 A 3P+E	15679	1
5556 29	380/415 V~, 125 A 3P+N+E	16615	1

Mobile Sockets

5555 04	200/250 V~, 63 A 2P+E	6215	2
5555 08	380/415 V~, 63 A 3P+E	6870	2
5555 09	380/415 V~, 63 A 3P+N+E	7292	2
5556 08	380/415 V~, 125 A 3P+E	21433	1
5556 09	380/415 V~, 125 A 3P+N+E	24188	1

* MRP - Maximum Retail Price Inclusive of all taxes including GST.


Plugs & Sockets

Cat.Nos	Polarity	MRP* ₹ / Unit	Pack
---------	----------	------------------	------

P17 Combined Unit to be Equipped Bases with Mechanical Super-Compact Sockets

0573 00	16 A, 2P+E IP 44 Interlock	7257	1
0573 02	16 A, 3P+N+E IP 44 Interlock	8008	1
0573 20	16 A, 2P+E IP 55 Interlock	8140	1
0573 22	16 A, 3P+N+E IP 55 Interlock	9161	1
0577 23	Mounting plate for 2 super-compact mechanical interlock sockets	4076	1

Bases for 125 x 220 mm face plates



0577 10	Surface mounting box - upto 2 sockets	1964	2
0589 38	Surface mounting box with 5 module dinrail - upto 2 sockets	5050	1
0577 05	Surface mounting box with 12 module dinrail - upto 4 sockets	11157	1
0577 06	Surface mounting box with 18 module dinrail - upto 6 sockets	14666	1

Face Plates 125 x 220 mm without Sockets

0577 12	For 1 x 16 A or 32 - upto A socket	1712	5
0577 13	For 2 x 16 A - upto sockets	2021	5
0577 17	For 1 x 63 A - upto sockets	2148	5
0577 15	Blanking Plate	1452	5

Bases for 125 x 280 mm Face Plates

0577 11	Surface mounting box - upto 3 sockets	1881	3
0577 20	Surface mounting box with 5 module dinrail - upto 3 sockets	5419	1
0577 03	Surface mounting box with 12 module dinrail - upto 6 sockets	10862	1
0577 04	Surface mounting box with 18 module dinrail - upto 9 sockets	15108	1

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.

Plugs and Sockets

Cat.Nos	Polarity	MRP* ₹ / Unit	Pack
---------	----------	------------------	------

Face Plates 125 x 280 mm without Sockets

0577 18	For 2 x 16 A and / or 32 A sockets	2526	4
0577 19	For 1 x 16 A or 32 A socket and 1 x 63 A socket	2529	2
0577 14	For 3 x 16 A sockets	2878	4
0577 16	Blanking plate	1708	4

Hypra Industrial Plugs & Sockets

Sockets

Prisinter Panel Mounting Sockets - IP 44, IK 09

0520 02	230 V, 16 A, 2P+E	14774	1/10
0527 02	230 V, 32 A, 2P+E	16109	1/6
0529 03	415 V, 32 A, 3P+E	17500	1/6
0529 04	415 V, 32 A, 3P+N+E	19524	1/6
0536 04	415 V, 63 A, 3P+N+E	62868	1

Panel Mounting Sockets - Inclined IP 44, IK 09

0522 23	415 V, 16 A, 3P+E	2390	5/50
0538 23	415 V, 63 A, 3P+E	8426	1

Plugs

Straight Plugs - IP 44, IK 09

0520 42	250 V, 16 A, 2P+E	2594	5/50
0527 42	250 V, 32 A, 2P+E	3410	1/5
0522 43	415 V, 16 A, 3P+E	4548	5/50
0529 43	415 V, 32 A, 3P+E	4644	5/50
0529 44	415 V, 32 A, 3P+N+E	4742	5/15
0538 43	415 V, 63 A, 3P+E	12057	1/5
0538 44	415 V, 63 A, 3P+N+E	15214	1/5

Metra Plugs & Sockets

Plugs

Ivory

6500 22	240 V, 10 A, 2P+E	281	1/5/100
6500 28	240 V, 20 A, 2P+E	295	1/5/100

Grey

6500 02	240 V, 10 A, 2P+E	281	1/5/100
6500 08	240 V, 20 A, 2P+E	295	1/5/100
6500 10	440 V, 20 A, 3P+E	393	1/5/100
6500 16	440 V, 32 A, 3P+E	740	1/5/100

Sockets

6500 03	240 V, 10 A, 2P+E With blue cap	285	1/5/100
6500 23	240 V, 10 A, 2P+E With ivory cap	285	1/5/100

* MRP - Maximum Retail Price Inclusive of all taxes including GST.

Hypra Industrial Plugs and Sockets

Cat.Nos	Description	MRP* ₹ / Unit	Pack
---------	-------------	------------------	------

Sockets

6500 09	240 V, 20 A, 2P+E With blue cap	327	1/5/100
6500 29	240 V, 20 A, 2P+E With ivory cap	327	1/5/100
6500 11	440 V, 20 A, 3P+E With red cap	440	1/5/100
6500 17	440 V, 32 A, 3P+E With red cap	740	1/5/100

Plugs and Sockets

P17 Tempra Combined Units

With Interlocked Switched Sockets & Surface Mounting Box IP 44

0566 01	250 V, 16 A, 2P+E	10898	1
0566 09	250 V, 32 A, 2P+E	13002	1
0566 13	415 V, 32 A, 3P+E	15724	1
0566 14	415 V, 32 A, 3P+N+E	17580	1

With Interlocked Switched Sockets and Surface Mounting Box IP 55

0566 21	250 V, 16A, 2P+E	12107	1
0566 29	250 V, 32 A, 2P+E	14726	1
0566 33	415 V, 32 A, 3P+E	17529	1
0566 34	415 V, 32 A, 3P+N+E	19006	1

With Interlocked Switched Sockets and Surface Mounting Box IP 44 with DIN Rail for 5 Module DX³ Protection

0566 41	250 V, 16A, 2P+E	12379	1
0566 49	250 V, 32 A, 2P+E	15058	1
0566 53	415 V, 32 A, 3P+E	16650	1
0566 54	415 V, 32 A, 3P+N+E	16731	1

With interlocked Switched Sockets & Surface Mounting Box IP 66 with DIN Rail for 5 Module DX³ Protection

0566 61	250 V, 16 A, 2P+E	13868	1
0566 69	250 V, 32 A, 2P+E	16091	1
0566 73	415 V, 32 A, 3P+E	16314	1
0566 74	415 V, 32 A, 3P+N+E	18781	1

With Interlocked Switched Sockets & Without Surface Mounting Box IP 55

0572 21	250 V, 16 A, 2P+E	10478	1
0572 29	250 V, 32 A, 2P+E	11848	1
0572 33	415 V, 32 A, 3P+E	14066	1
0572 34	415 V, 32 A, 3P+N+E	16361	1
0572 95	415 V, 63 A, 3P+N+E, IP 66	38808	1

P17 tempra Combined Units

with Interlocked Switched Sockets IP 66

0589 18	380 to 415 V, 50/60 Hz, 63 A, 3P + E with provision for 5 module DX ³ protection	38024	1
0572 99	380 to 415 V, 50/60 Hz, 63 A, 3P+N+E with provision for 5 module DX ³ protection	46570	1

Bold Cat.Nos are products normally available with Legrand (India) Stockists. Cat.Nos that are not bold - delivery within 4 - 8 weeks from the date of order. Bold packing quantity is our mandatory packing. Orders to be placed by Legrand (India) Stockist in multiples of the same.